

Titan® Dual DBC®

Height: 40.0" Width: 35.6" Depth: 21.7"
(101.6cm) (90.4cm) (55.1cm)



- Consistent brewed coffee and tea from water with reduced sediment and chlorine taste and odor
- BrewMETER® allows automatic programming of pulse routine
- Funnel has 28oz (.8kg) ground coffee capacity and paper filter retainers to eliminate fold-over
- Titan TF servers [not included] are insulated to keep coffee hot for hours
- Coffee extraction controlled with pre-infusion and pulse brew, digital temperature control, and large sprayhead; coffee strength controlled with variable by-pass.
- Energy-saver mode reduces tank temperature during idle periods
- Hot water faucet
- Servers not included unless otherwise noted

 Server(s) sold separately



Agency:

 **CAFFEINE LIMITED**
Quality, Pride & Passion

CAFFEINE LIMITED
3 LITTLE MUNDELLS, WE LWYN GARDEN CITY
HERTFORDSHIRE, UNITED KINGDOM, AL7 1EW
T. 01707 278 400 caffeineonline.co.uk



Specifications

Product #: 39200.0002

Faucet: Side

Water Access: Plumbed

Finish: Stainless

Funnel: Stainless Steel

Additional Features

BrewMETER

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
4003N	16	11125	No	-	-	60°F (15.5°C)	3	3N	50-60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	-

 **WARNING:**


CAD Drawings

2D	Revit	KLC



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
03/30/2023



Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	40.0 in.	35.6 in.	21.7 in.	43.8 in.	26.5 in.	40.5 in.	162.200 lbs	27.173 ft³
Metric	101.6 cm	90.4 cm	55.1 cm	111.1 cm	67.3 cm	102.9 cm	73.574 kgs	0.769 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
03/30/2023

Related Products & Accessories: Titan® Dual DBC®(39200.0002)



FILTERS, 20x8 252/CS
36/CL

Product #: 20111.0000



WATER FILTER,
EQHP-54L

Product #: 39000.0003



WATER FILTER,
EQHP-54

Product #: 39000.0006



FUNNEL ASSY W/
BASKET, TITAN

Product #: 40114.0000



SYSTEM, WQ-75(5).2L

Product #: 56000.0003



SYSTEM, WQ-75(5).2

Product #: 56000.0006



SYSTEM, WEQ-54(5).2L

Product #: 56000.0026



SYSTEM, WEQ-54(5).2

Product #: 56000.0029



CARTRIDGE, WQ-75
(5).2L

Product #: 56000.0103



CARTRIDGE, WQ-75(5).2

Product #: 56000.0106



CARTRIDGE, WEQ-54
(5).2L

Product #: 56000.0125



CARTRIDGE, WEQ-54
(5).2

Product #: 56000.0127



Serving & Holding Options: Titan® Dual DBC®(39200.0002)



TITAN TF SERVER,
VERTICAL FCT

Product #:39400.0001



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
03/30/2023